

LED Concepts, USA

LED Wall Pack Series

Features:

- Utilizes a unique PCB board designed to properly dissipate heat, this ensures over 50,000hours of reliable maintenance free operation.
- More than 80% energy saving compared with conventional lights
- IP65 rated.
- Using Philip 3030 high lumens chips.
- High Lumens: 120lms/W
- Beam Angle: 120 degree
- Available in 15W,30W,50W,80W,120W
- Certificate: CUL UL DLC TUV SAA ROHS
- Warranty: 5 Year



15W 25W

Applications:

- Warehouse, outdoor lighting.
- Building Exterior Wall.
- Airport; Bridge; Tunnel;
- Residential/Institution Bulidings/Schools,Colleges/Universities



50W 80W 120W








Office (530) 226 - 5337


LED Concepts USA INC
2936 Churn Creek Rd.
Redding,Ca. 96002

www.LedConceptsusa.com


Mechanical Dimensions: (Unit:mm) ±2Mm



15W, 25W



50W, 80W



120W

Office (530) 226 - 5337

LED Concepts USA INC
2936 Churn Creek Rd.
Redding,Ca. 96002


www.LedConceptsusa.com

Specifications:

DLC Model	WP-15W-57K	WP-25W-57K	WP-50W-57K	WP-80W-57K	WP-120W-57K		
Power	15W (+/-5%)	25W (+/-5%)	50W (+/-5%)	80W (+/-5%)	120W (+/-5%)		
Lumens (LM) +/- 10%	1350lms	2700lms	6000lms	9600lms	14400lms		
CCT	5700k	5700k	5700k	5700k	5700k		
Input Voltage	AC100-277V (50/60Hz)	AC100-277V (50/60Hz)	AC100-277V (50/60Hz)	AC100-277V (50/60Hz)	AC100-277V (50/60Hz)		
Power Factor	>0.95	>0.95	>0.95	>0.95	>0.95		
CRI	>75	>75	>75	>75	>75		
Beam Angle	120	120	120	120	120		
Life Span	>50000h	>50000h	>50000h	>50000h	>50000h		
Operating Temperature	(-104)F-122F	(-104)F-122F	(-104)F-122F	(-104)F-122F	(-104)F-122F		
Lighting Source	Esptar SMD2835	Esptar SMD2835	Philip SMD3030	Philip SMD3030	Philip SMD3030		
Housing	Aluminum +glass	Aluminum +glass	Aluminum +glass	Aluminum +glass	Aluminum +glass		
Driver	UL driver	UL driver	UL driver	UL driver	UL driver		

Packing:

SKU	Inner Box		Outer Box		
	Size (inch)	G.Weight/lbs	Size (inch)	G.Weight/lbs	Box/Carto
CT-WP-15	13*8*6	1.8 lbs	24*16*13	17 lbs	8pcs
CT-WP-30	13*8*6	2.2 lbs	24*16*13	18 lbs	8pcs
CT-WP-50	16*12*10	12 lbs	24*17*11	24 lbs	2pcs
CT-WP-80	16*12*10	12 lbs	24*17*11	24 lbs	2pcs
CT-WP-120	20*12*12	19 lbs	24*21*14	38 lbs	2pcs





Office (530) 226 - 5337

LED Concepts USA INC
2936 Churn Creek Rd.
Redding,Ca. 96002

www.LedConceptsusa.com

Optical Data:





Note:The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Office (530) 226 - 5337

LED Concepts USA INC
2936 Churn Creek Rd.
Redding,Ca. 96002

www.LedConceptsusa.com